

MARLON ST is the multiwall polycarbonate sheet manufactured by Brett Martin. The sheet is characterised high optical by clarity, light transmission, impact resistance and durability. It is available in a range of standard sizes, clear and tinted. MARLON ST Longlife has a coextruded UV protection layer on one side.

Colours:	Light Transmission:
	DIN 5036
Clear (S)	64%
Bronze (B)	7%
Opal (V)	33%
Heatguard/Opal (EG/TU)	4%
Bronze/Opal (B/TU)	7%
*	170

*Non-standard colours are available subject to minimum order quantities.

Standard sheet sizes:	
Maximum Width:	2100 mm
Length:	6 & 7m
	(and as required)
Thickness:	32 mm

*Non-standard sizes are available subject to minimum order quantities.

Nominal Sheet Weight: 3.6 kg/m² U-value: 1.25 W/m² K

32mm Sevenwall

Service Temperature

MARLON ST can be installed in a diversity of applications, with varying temperatures. The material's mechanical performance is known to remain stable in prolonged service in temperatures ranging from –20 to +100 °C.

Installation

Applications of MARLON ST must make adequate allowance for thermal movement, nominally 3.5 mm per metre. 32mm multiwall sheet is not recommended for curved applications.

Fire Performance

For the most up to date certifications please contact the Technical department.

BRETT MARTIN Ltd. pursues a policy of continuous product development and reserves the right to amend specifications without notice. Brett Martin Ltd. 24 Roughfort Road, Mallusk, Co. Antrim, N. Ireland, BT36 4RB. Phone: +44 (0)28 9084 9999 Fax: +44 (0)28 9083 6666 E-mail: <u>technical@brettmartin.com</u> Website: <u>www.brettmartin.com</u>